

DETAILED INSPECTION CHECKLIST

FA SC STMT TEXT

- 810 EOD TECHNICAL EVALUATION
Functional Area Manager: LPE-2
Point of Contact: Major James Shelstad
(COML) 571-256-7161
E-mail: james.shelstad@usmc.mil
Date Last Revised: 19 September 2014
- 810 01 PERSONNEL ADMINISTRATION
- 810 01 001 Have all EOD personnel been screened in accordance with the reference using NAVMC Form 11362, (Aug 2010)?
Reference
MCO 3571.2G, Chap 2, par 5a
- 810 01 002 Do all EOD personnel posses the appropriate security clearance and eligibility level?
Reference
MCO 3571.2G, Chap 2, par 2a; SECNAV M-5510.30, Chap 6-2, par 2f
- 810 01 003 Do all EOD personnel possess access to Critical Nuclear Weapons Design Information (CNWDI)?
Reference
MCO 3571.2G, chap 2, par 2b
- 810 01 004 Is the EOD unit in compliance with the reporting requirements for personnel receiving the monthly Hazardous Duty Incentive Pay (HDIP)?
Reference
MCO 3571.2G, chap 2, par 7
- 810 01 005 Is the unit conducting EOD lateral move screening in accordance with the reference using NAVMC Form 11361 (Jan 2008)?
Reference
MCO 3571.2G, chap 2, par 4
- 810 01 006 Do all EOD Technicians possess a valid explosive drivers license certification and maintain a current medical certificate (This includes EOD Officers that stand EOD emergency response duty)?
Reference
MCO 3571.2G, chap 3, par 6f(3) and (4)

DETAILED INSPECTION CHECKLIST

810 02 TRAINING

810 02 001 If the EOD unit has a Training Aids Library, is all inert explosive ordnance being maintained and accounted for?

Reference

MCO 3571.2G, chap 3, par 14; OP 5 vol 1, ch 7, chap 2, par 2-1.4.6 and 7; MCO P8020.10B, chap 4, par 3

810 02 002 Has the EOD unit developed and executed a comprehensive training plan that covers EOD core competencies?

Reference

MCO 3571.2G, chap 3, par 13c

810 02 003 Is the EOD unit fulfilling minimum individual and collective training standards?

Reference

MCO 3571.2G, chap 3, par 12; NAVMC 3500.66B

810 02 004 Do all EOD personnel have the EOD Skill Progression and Deployment pages maintained in their training record?

Reference

MCO 3571.2G, chap 2, par 8d

810 03 OPERATIONS

810 03 001 Does the EOD Unit have all required non-emergency and inerting SOP's?

Reference

MCO 3571.2G, chap 4, par 5e

810 03 002 Does the EOD unit (Installation units only) have 24 hour access to an emergency vehicle, designated in writing in accordance with the requirements and is the emergency response vehicle capable of towing the total containment vessel (TCV)?

Reference

MCO 3571.2G, chap 3, par 6f(1) and (2)

810 03 003 Does the EOD unit have a dedicated range approved by NAVSEA in order to conduct emergency destruction operations, employ unique energetic tools, and to conduct individual and collective training events to maintain operational and MOS proficiency?

Reference

MCO 3571.2G, chap 3, par 6g; NAVSEA OP5, vol 1, 13-3.2.2

810 03 004 Does the EOD Unit (Installations only) have a dedicated EOD bunker within the Ammunition Supply Point (ASP) in accordance with the reference?

DETAILED INSPECTION CHECKLIST

Reference

MCO 3571.2G, chap 3, par 6d

- 810 03 005 Can the EOD unit, given a scenario, conduct the following tasks on conventional munitions with a foreign or domestic origin?
- Explosive Ordnance Disposal Reconnaissance
 - Render Safe of all Explosive Hazards
 - Destruction of all Explosive Hazards
 - Final reporting and submission of the EOD incident using the EOD Information management System (EOD IMS) Digital Reporting System

Reference

NAVMC 3500.66B; EOD 60 SERIES PUBLICATIONS

- 810 03 006 Can the EOD unit, given a scenario, conduct a response, from start to finish, on an improvised explosive device?
The following steps must be performed.
- Detect
 - Locate
 - Access
 - Identify
 - Render safe
 - Disposal of hazardous components
 - Final reporting and submission

Reference

NAVMC 3500.66B; NAVY EOD 60 SERIES

810 04 SECURITY OF CLASSIFIED EOD PUBLICATIONS AND AA&E

- 810 04 001 Does the EOD unit have immediate, 24 hour access to all EOD publications?

Reference

MCO 3571.2G, chap 4, par 5d

- 810 04 002 Has a physical security inspection been conducted on the EOD facility?

Reference

MCO 5530.14A, chap 3, par 3001.5c and d

810 05 TOOLS AND EQUIPMENT

- 810 05 001 Has the EOD unit conducted the required annual reconciliation of EOD TAMCNs with MARDET NAVEODTECHDIV?

Reference

MCO 3571.2G, chap 4, par 3c(3)